



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

BIB DATA SHEET

CONFIRMATION NO. 6286

| SERIAL NUMBER | FILING or 371(c) DATE | CLASS | GROUP ART UNIT | ATTORNEY DOCKET NO. | |
|--|---|-------------------------------|--------------------------------|---|--------------------------------|
| 10/824,217 | 04/14/2004 | 166 | 1796 020569-03403/P202-12303-U | | |
| RULE | | | | | |
| APPLICANTS Christopher John Stephenson, Houston, TX; Allan Ray Rickards, Tomball, TX; Harold Dean Brannon, Magnolia, TX; D.V. Satyanarayana Gupta, The Woodlands, TX; | | | | | |
| ** CONTINUING DATA ***** This application is a DIV of 10/653,521 09/02/2003 which claims benefit of 60/407,734 09/03/2002 and claims benefit of 60/428,836 11/25/2002 | | | | | |
| ** FOREIGN APPLICATIONS ***** | | | | | |
| ** IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** 06/24/2004 | | | | | |
| Foreign Priority claimed <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 35 USC 119(a-d) conditions met <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Verified and Acknowledged <u>/MICHAEL J FEELY/</u> Examiner's Signature | <input type="checkbox"/> Met after Allowance Initialed | STATE OR COUNTRY TX | SHEETS DRAWINGS 17 | TOTAL CLAIMS 38 | INDEPENDENT CLAIMS 1 |
| ADDRESS JONES & SMITH, LLP 2777 ALLEN PARKWAY SUITE 800 HOUSTON, TX 77019 UNITED STATES | | | | | |
| TITLE Method of treating subterranean formations with porous ceramic particulate materials | | | | | |
| FILING FEE RECEIVED 2050 | FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following: | | | <input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees (Filing) <input type="checkbox"/> 1.17 Fees (Processing Ext. of time) <input type="checkbox"/> 1.18 Fees (Issue) <input type="checkbox"/> Other _____ <input type="checkbox"/> Credit | |